



AORNLED/PL2

Orno LED Portable Lantern - 6W - Large



Features

Modern portable lantern range suitable for domestic applications

Anodised powder coated die-cast frame construction, c/w polycarbonate enclosure for enhanced durability

Chargable USB battery power ensures no installation or maintenance is required

Integrated bluetooth speaker allows pairing with smart device for audio playback

USB 2.0 output allows a smartphone to be charged from the fitting

Upto 6 hours of battery life

LED lifespan L70 36,000 hours

General Information

Lamp Type	LED
Colour / Finish	Graphite
Bluetooth Enabled	Yes
IP Rating	IP54
Class Protection	3
Internal / External	Internal/External
Surface / Recessed / Suspended	Surface
LED Life	L70 36,000hrs
CE Mark	Yes
Length (mm)	358
Width (mm)	145
Depth (mm)	145

Technical Information

Wattage	6W
Lumens Delivered	353lm
Lm/W	71lm
CRI	Ra 80
CCT	4000K
Input	3.7VDC
Operating Temp	-20°C to 45 °C

Technical Data - ETIM - Ceiling-/wall luminaire (EC002892)

Suitable for suspended mounting	No
Suitable for ceiling mounting	No
Suitable for built-in mounting	No
Suitable for surface mounting	Yes
With light source	Yes
Voltage type	DC
Nominal voltage	3.7-3.7 V
Degree of protection (IP)	IP54
Protection class	III
Suitable for emergency lighting	No
With movement sensor	No
With light sensor	No
Max. system power	6 W
Width	145 mm
Height/depth	145 mm
Length	358 mm

Datasheet generated from <https://onetimepim.com> last updated Tuesday, June 23, 2020 10:36:32 AM

